

SETUP OF LINKSYS



SETUP OF LINKSYS



SETUP OF LINKSYS

LINKSYS[®]
A Division of Cisco Systems, Inc.

Firmware Version: 1.01.05

Wireless-G ADSL Home Gateway

WAG200G

Setup

Setup

Wireless

Security

Access
Restrictions

Applications &
Gaming

Administration

Status

Basic Setup

DDNS

Advanced Routing

Internet Setup

Internet Connection Type

VC Settings

Type 192.168.1.1
This page will open

Encapsulation: RFC 2516 PPPoE

Multiplexing: LLC VC

Gos Type: UBR

Pcr Rate: cps

Scr Rate: cps

Autodetect: Enable Disable

Virtual Circuit: 0 VPI (Range 0~255)
35 VCI (Range 0~65535)

DSL Modulation: MultiMode

Username: L331144@sodetel.net.lb

Password:

Connect on Demand: Max Idle Time 5 Minutes

Keep Alive: Redial period 30 Seconds

Host Name:

Domain Name:

MTU: Manual

Size: 1492

Then choose all the fields
pointed by an arrow

Help...

PPPoE Settings

Optional Settings
(required by some ISPs)

SETUP OF LINKSYS

Network Setup

Router IP

Local IP Address: . . .

Subnet Mask:

DHCP Server: Enable Disable DHCP Relay

DHCP Server: . . .

Starting IP Address:

Maximum Number of DHCP Users:

Client Lease Time: minutes (0 means one day)

Static DNS 1: . . .

Static DNS 2: . . .

Static DNS 3: . . .

WINS: . . .

Time Zone:

Time Interval: seconds

Automatically adjust clock for daylight saving changes.

Language

Click on Save Settings to apply the changes

Save Settings

Cancel Changes

SETUP OF LINKSYS (Wireless)

LINKSYS®
A Division of Cisco Systems, Inc.

Firmware Version: 1.01.05

Wireless-G ADSL Home Gateway WAG200G

Wireless

Setup | **Wireless** | Security | Access Restrictions | Applications & Gaming | Administration | Status

Basic Wireless Settings | **Wireless Security** | Wireless Access | Advanced Wireless Settings

Wireless Security

Security Mode:

- Disabled
- Disabled
- WEP**
- WPA-Personal
- WPA2-Personal
- WPA2-Mixed

Help...

Save Settings | Cancel Changes

CISCO

**GO to Wireless, than choose
Wireless Security**

**Click on the scroll down
menu and choose WEP**

SETUP OF LINKSYS (Wireless)

Wireless

Setup

Wireless

Security

Access
Restrictions

Applications &
Gaming

Administration

Status

Basic Wireless Settings

Wireless Security

Wireless Access

Advanced Wireless Settings

Wireless Security

WEP

Security Mode:

Default Transmit Key:

 1 2 3 4

WEP Encryption:

Passphrase:

Generate

Key 1:

Key 2:

Key 3:

Key 4:

Choose the fields pointed by an arrow

The key must be of 10 characters and from 0 to 9 or a to f

Save Settings

Cancel Changes