

SETUP OF LINKSYS



SETUP OF LINKSYS



SETUP OF LINKSYS

LINKSYS[®]
A Division of Cisco Systems, Inc.

Firmware Version: 1.01.05

Wireless-G ADSL Home Gateway

WAG200G

Setup

Setup

Wireless

Security

Access
Restrictions

Applications &
Gaming

Administration

Status

Basic Setup

DDNS

Advanced Routing

Internet Setup

Internet Connection Type

VC Settings

Type 192.168.1.1
This page will open

Encapsulation: RFC 2516 PPPoE
Multiplexing: LLC VC
Qos Type: UBR
Pcr Rate: cps
Scr Rate: cps
Autodetect: Enable Disable
Virtual Circuit: 0 VPI (Range 0~255)
35 VCI (Range 0~65535)
DSL Modulation: MultiMode

Username: L331144@sodetel.net.lb
Password:
 Connect on Demand: Max Idle Time 5 Minutes
 Keep Alive: Redial period 30 Seconds

Host Name:
Domain Name:
MTU: Manual
Size: 1492

Then choose all the fields
pointed by an arrow

Help...

PPPoE Settings

Optional Settings
(required by some ISPs)

SETUP OF LINKSYS

Network Setup

Router IP

Local IP Address: . . .

Subnet Mask:

Network Address Server Settings (DHCP)

DHCP Server: Enable Disable DHCP Relay

DHCP Server: . . .

Starting IP Address:

Maximum Number of
DHCP Users:

Client Lease Time: minutes (0 means one day)

Static DNS 1: . . .

Static DNS 2: . . .

Static DNS 3: . . .

WINS: . . .

Time Settings

Time Zone:

Time Interval: seconds

Automatically adjust clock for daylight saving changes.

Language

**Click on Save Settings to
apply the changes**

Save Settings

Cancel Changes

SETUP OF LINKSYS (Wireless)

LINKSYS
A Division of Cisco Systems, Inc.

Firmware Version: 1.01.05

Wireless-G ADSL Home Gateway **WAG200G**

Wireless

Setup **Wireless** Security Access Restrictions Applications & Gaming Administration Status

Basic Wireless Settings | **Wireless Security** | Wireless Access | Advanced Wireless Settings

Wireless Security

Security Mode:

- Disabled
- Disabled
- WEP**
- WPA-Personal
- WPA2-Personal
- WPA2-Mixed

Save Settings Cancel Changes

CISCO

GO to Wireless, than choose Wireless Security

Click on the scroll down menu and choose WEP

SETUP OF LINKSYS (Wireless)

Wireless

Setup

Wireless

Security

Access
Restrictions

Applications &
Gaming

Administration

Status

Basic Wireless Settings

Wireless Security

Wireless Access

Advanced Wireless Settings

Wireless Security

WEP

Security Mode:

Default Transmit Key:

 1 2 3 4

WEP Encryption:

Passphrase:

Generate

Key 1:

Key 2:

Key 3:

Key 4:

Choose the fields pointed by an arrow

The key must be of 10 characters and from 0 to 9 or a to f

Save Settings

Cancel Changes